References

1. Abd. El. Aziz and Khalid Mahmood (2012). Population Dynamics of Sugarcane Plant hopper Pyrillaperpusilla Walker (Lophopidae: Homoptera) and its Natural Enemies at District MandiBahauddin (Punjab). Pakistan J. Zool., vol. 39(3): 153-157.
2. Andrewartha, H.G., (1952). Diapause in relation to the ecology of insects. Biological Reviews 27, 50-10.
3. Bland, M.D., (2001). Regulation analysis of energy metabolism. Journal of Experimental Biology 200, 193-202.
4. Bogaerts, A.; Baggerman, G.; Vierstraete, E.; Schoofs, L. and Verleyen, P. (2009). The hemolymph protein of the honeybee: Gel-based or gel-free? Proteomics, 9: 3201-3208.
5. Borrer D.J., C.A. Triplehorn, and N.F. Johnson (1989). An Introduction to the Study of Insects, 6th edition. Saunders College Publishing, San Francisco.
6. Burešová V, Berger J. Phagocytosis of Pyrrhocoris apterus haemocytes. In Berger J (ed.): Cells IV. Kopp Publ., ceske Budejovice 2002, p. 178.
7. Byrd J, Castner (2000a). Preclinical testing on insects predicts human haematotoxic potentials. Lab Anim. 43: 328-332.
8. Canete, M., A. Juarranz, P. Lopez-Nieva, C. Alonso-Torcal, A. Villanueva & J. C. Stockert (2001). Fixation and permanent mounting of Fluorescent Probes after Vital Labelling of Cultured Cells. ActaHistochemistry, 103: 117-126.
9. Costa-NetoEm (2004). Osinsetospelosmoradores da Serra da Jibóia, Bahia. Feira de Santana: UEFS, 134 p.
10. Danks, H.V. (2005). How similar are daily and seasonal biological clocks? Journal of Insect Physiology 51, 609–619.
11. Freita M and Silva T. (2006) Animals venenososepeçonhentos no Brazil. Pelotas: USEB, 154 p.
12. Gardiner, E. M. M. & M. R. Strand, (2002). Monoclonal antibodies bind distinct classes of hemocytes in the moth Pseudoplusia includes. Journal of Insect Physiology, 45: 113-126.
13. Gardiner, E.M.M. and Strand, M.R., (2000). Haematopoiesis in larvae of Pseudoplusia includes and Spodopterafrugiperda. Arch. Insect Biochem. Physiol. 43: 147-164.

14. Gariepy, T.D., Kuhlmann, U., Gillott, C. & Erlandson, M. (2007). Parasitoids, predators and PCR: the use of diagnostic molecular markers in biological control of Arthropods Journal of Applied Entomology, Vol. 131, No. 4, pp. 225-240, ISSN 0931-2048.
15. Guldemond J. A. (1992). Specific mate recognition in sibling species of Cryptomyzus aphids: proceedings of the Section Experimental and Applied Entomology of the Netherlands Entomological Society NEV. vol. 3, pp. 129–134
16. Gupta AP (1999). Insect hemocytes: development, forms, functions, and techniques. Cambridge University Press, New York, pp. 614.
17. Jara F. (1996). La miel y el aguijón. Taxonomia zoológicayetno biologíacomo elementosen la definición de lasnociones de género entre los Andoke (Amazonia colombiana). J Soc Amer Paris 82: 209-258.
18. Krishnan N, Chaudhuri A, Sengupta AK, Chandra AK, Sen SK &Saratchandra B. (2001). NADP-Dependent malate dehydrogenase activity and associated biometabolic changes in haemolymph and fatbody tissue of silkworm Bombyx mori L. following Baculovirus infection. Int J IndustEntomol, 2:149-153vae. J Entomol 9: 23-31.
19. Lebestky, T., Chang, T., Hartenstein, V. and Banerjee, U., (2000). Specification of Drosophila hematopoietic lineage by conserved transcription factor factors. Science, 288: 146-149.
20. Ling, E, K. Shirai, R. Kanekatsu & K. Kiguchi, (2003). Classification of larval circulating hemocytes of the Silkworm, Bombyxmori, by acridine orange and propidium iodide staining. Histochemistry and Cell Biology, 120 (6): 505-511.
21. Ling, E., K. Shirai, R. Kanekatsu & K. Kiguchi, (2005). Hemocyte Differentiation in the hematopoietic organs of the silkworm, Bombyxmori: Prohemocytes have the function of phagocytosis. Cell and Tissue Research, 320 (3): 535-43.
22. Pandey S, Pandey JP, Tiwari RK (2012). Effect of some botanicals on hemocytes and molting of Papiliodemoleus larvae. J Entomol 9: 23-31
23. Rasnitsyn, Quicke J., (2002). Diapause termination and changes in thermal responses during postdiapause development in larvae of the spruce budworm, Choristoneura fumiferana. Journal of Insect Physiology 36, 727-735.

24. Ratcliffe, N. A., A. F. Rowley, S. W. Fitzgerald & C. P. Rhodes, (1979). Invertebrate immunity: Basic Concepts and Recent Advances. International Review of Cytology, 97: 183-350.
25. Russo et.al, S. C. & A. G. Richards, (2001). An autoradiographic study of the relation between hemocytes and connective tissue in the wax moth, Galleria mellonella. The Biological Bulletin 128: 337–345.
26. Russo J.; Brehelin, M. and Carton, Y. (2001). Hemocyte changes in resistant and susceptible strains of D. melanogaster caused by virulent and a virulent strains of the parasitic wasp Leptopilinabouladi. Journal of Insect Physiology 47: 167-172.
27. S. Kim; J. Cho; T. Nam; L. Lim, (2006) "Development of a classification algorithm for butterflies and ladybugs," Tencon 2006. Ieee Region 10 Conference, vol., no., pp.1, 3, 14-17 Nov. 2006.
28. Sanjayan, K.P.; Ravikumar, T. and Albert, S. (1996). Changes in the haemocyte profile of Spilostethushospes (Fab) (Heteroptera: Lygaeidae) in relation to eclosion, sex and mating. J. Biosci., 21(6): 781-788.
29. Schmidt N. P., O'Neal M. E., Dixon P. M. (2008). Aphidophagous predators in Iowa soybean: a community comparison across multiple years and sampling methods. Ann. Entomol. Soc. Am. 101: 341-350.
30. Serebrov et.al, H., C. E. Leach & E. Shaaya, 2001. Juvenile hormone and juvenile hormone mimics inhibit proliferation in a lepidopteran imaginal disc cell line. Journal of Insect Physiology, 46: 259-
31. Sharma, Archana Y, Unni,B. G and Kalita, M. C. (2005) Antibacterial proteins from non-mulberry silkworms against flacherie causing Pseudomonas aeruginosa AC-3, Current Science, 89 (9); 1613-1618
32. Smith S. A. Caldasr A. L. (2001) A comparison of pan trap and intensive net sampling techniques for documenting a bee (Hymenoptera: Apiformes) fauna. J. Kans. Entomol. Soc. 80: 179–181.
33. Strand, M. R., (2008). The insect cellular immune response. Insect Science 15: 1-14.
34. Suhail A. (1994). Taxonomic studies on Acridoidea (Orthoptera) of Pakistan. Ph.D. Thesis, p: 343. Department of Agri. Entomology, University of Agriculture, Faisalabad
35. Tüzün A, Yuksel S, Dabiri F (2009). Applied of Various Species of Arthropods in Estimating the Postmortem Interval (PMI) in Different Stages of

Decomposition of Human Corpses. The First Iranian International Forensic Medicine Congress; Abstract Book. 25-27 May 2009: pp. 227-229.

36. Westphal C., Bommarco R., Carre G., Lamborn E., Morison N., Petanidou T., Potts S.G., Roberts S.P.M., Szentgyrgyi H., Tscheulin T., Vaissiere B.E., Woyciechowski M., Biesmeijer J.C., Kunin W.E., Settele J. and Steffan-Dewenter I. (2008). Measuring bee diversity in different European habitat and biogeographical regions, Ecological Monographs. 78: 655-671
37. Witting FG, Negreiro MCC, Cortez MM, Silva VB &Falleiros AMF (1962) Total and differential counting of the haemocytes in Anticarsia gemmatalis (Lepidoptera:Noctuidae) larvae introduced with Baculovirus anticarsia.Acta Microscopia 12 (Suppl. B): 407-408.
38. Wood, Jacinto H., (2007). Insect seasonality. Why? Annual Review of Ecology and Systematic 19, 1-18.
39. Yeh SP, Sung GT, Chang CC, Cheng W, Kuo MN (2005). Effects of an organophosphorus insecticide, trichlorfon, on haematological parameters of the giant freshwater prawn, Macrobrachiumrosenbergii (de Man). Aquaculture 243: 383–392.
40. Zhu, T.Y., Kang, L., Zhang, Z.F., Xu, W.H., (2012). Identification of a POU factor involved in regulation the neuron-specific expression of the gene encoding diapause hormone and pheromone biosynthesis activating neuropeptide in Bombyx mori. Biochemical Journal 380, 255-263.